


APPLICATION

Plates type **3UL10/5** with thread connections are used to mount cartridge valves **nominal size 10 (NS10)** produced by **PONAR - WADOWICE S.A.**

DESCRIPTION OF OPERATION


Plate type **3UL10/5** allows to mount into thread connections cartridge valves (pressure valve, directional control valve) **nominal size 10 (NS10)** by

means of the connection (2) of the element in the housing (1) and connections of pipelines (3).



OVERALL AND CONNECTION DIMENSIONS


Plate type 3UL10/4 - G4




1 - Housing
 2 - Connection of the element **nominal size 10 (NS10)**
 (directional control valve or pressure valve)
 3 - Connection of pipelines **G 3/4 (G4)**

OVERALL AND CONNECTION DIMENSIONS

Connection of the element nominal size 10 (NS10)



Connection of pipelines G3/4 (G4)



HOW TO ORDER

3	UL	10	/	5	-	G4	*
---	----	----	---	---	---	----	---

Type of connection for hydraulic element

(valve or directional control valve NS 10)

3-way connection

= 3

Nominal size of plate**NS10**

= 10

Configuration of thread connections of pipelines**Positioning of connections** according to the drawing – see page 2 = 5**Type of connections of pipelines****Connection G3/4**

= G4

Further requirements in clear text

(to be agreed with the manufacturer)

NOTES:

The plate should be ordered according to the above coding.

The symbols in bold are preferred versions in short delivery time.

Coding example: 3UL10/5 – G4

PONAR Wadowice S.A.
ul. Wojska Polskiego 29
34-100 Wadowice
tel. +48 33 488 29 00
fax. +48 33 488 21 03
www.ponar-wadowice.pl



PONAR
wadowice®